

primer SR1:5'- ATGAGCTCAGAACCAGCTGTGGAATG
SacI

primer SR2:5'- CTGTTCTGCGCCGTTACAAAACCAGAAAGTTAACTG

primer SR3:5'- TTACTTCTGCTCTAAAAGCTGGCGCGCCCCTGCAGT

primer SR4:5'- TCACCTAAATCGTATGTGCCAGACATGATAAGATACAT

primer SR5:5'- CAGTTAACTTTCTGGTTTTGTAACGGCGCAGAACAG


primer SR6:5'- ACTGCAGGGCGCCCCAGCTTTTAGAGCAGAAGTAA

primer SR7:5'- ATGTATCTTATCATGTCTGGCACATACGATTTAGGTGA

Primer SR8:5'- TAGGTACCGTCGACCCCTGAACCTGAAACATAAAA

KpnI

Fig. 4



10	20	30	40	50	60
GGGGGGGCT	GCAGTCTAGA	GAATICCCAC	GAATCAAATG	GCCCGGGCCA	GAAGATGCAT
, ,		1	CTTAGTTTAC	CCCCCCCCT	CITCIACGIA
70	80	90	100	110	
GCTCGAGGC	GGCCGCAAGC	TICIATAG			
CCCACCTCCC	CCC CCC CCC CCC CCC CCC CCC CCC CCC CC	AAGATATCAC	AGIGGATITA	GCATACAC	
		•			
MCS-1: DNA sequence represented by					
MCS-2: DNA sequence represented by					
MCS-3: DNA sequence represented by					
MCS-4: DNA sequence represented by					


SRO-1: 5'- ATGAGCTCAGAACCAGCTGTGGAATG -3'

SRO-2: 5'- CCGAGGCAAGCTTGGCCTCGGCCTCTGCATAAA -3'

SRO-3: 5'- CGAGGCCAAGCTTGCCTCGGCCTCTGAGCTATT -3'

SRO-4: 5'- ATGGTACCGCGGCCGCGTAACGGCGCAGAACAGAAAA -3'

The state of the s



Saci

ATGAGCTCAGAACCAGCTGTGGAATGTGTGTCAGTTAGGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGAAGT ATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGAAGAAGTATGC AAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGGCCCATCCCGCCCTAACTCCGCCCAG

TCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTGGGCTCGCATCTCTCCTTCACGCGC CCGCCGCCCTACCTGAGGCCGCCATCCACGCCGGTTGAGTCGCGTTCTGCCGCCTCCCGCCTGTGGTGCCTCCTGA ACTGCGTCCGCCGTCTAGGTAAGTTTTAAAGCTCAGGTCGAGACCGGGCCTTTGTCCGGCGCGTCCCTTGGAGCCTAC

Notl Asp7181
GCGCCGTTACGCGGCCGCGTACCAT

Lac operator of POPI3




Fig. 10








Fig. 11









The state of the s




200 m 200 m



′





primer 1 5'-TCGCGATTCCCACGAATCAAATGGC-3' (with the NruI site at 5 ' end)
primer 2 5'-TCTGGCACATACGATTTAGGT

ŧ

